

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25	5487	((375/299.ccls.)(375/295.ccls.)(375/267.ccls.)(375/316.ccls.)(375/347.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 08:13
S28	2	((transmi\$4 and receiv\$3) SAME (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and rake adj receiv\$3 and (frequency adj domain adj equaliz\$5) and OFDM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 15:02
S34	223	((transmi\$4 or receiv\$3) AND (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and rake adj receiv\$3 OR (frequency adj domain adj equaliz\$5) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM and diversity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 10:39
S35	159	((transmi\$4 or receiv\$3) AND (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and rake adj receiv\$3 OR (frequency adj domain adj equaliz\$5) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM and diversity) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 11:32
S37	4959	((transmi\$4 or receiv\$3) AND (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and diversity) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 11:38
S49	4956	((transmi\$4 and receiv\$3) SAME (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and diversity) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:40
S50	18	(S49 and (walsh adj code\$1 SAME pilot\$1 SAME binary) and select\$3) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:36

EAST Search History

S51	4	(S49 and (walsh adj code\$1 SAME pilot\$1 SAME binary) and select\$3 with (switch\$ or circuit\$1 or mean\$1) and diversity and multipath) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:37
S52	5	((transmi\$4 and receiv\$3) SAME (rake adj (receiv\$3 or combiner\$1) and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and diversity and (power adj error adj rate)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:44
S53	16	((transmi\$4 and receiv\$3) SAME (rake adj (receiv\$3 or combiner\$1) and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and (power adj error adj rate)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:46
S54	27300	((transmi\$4 and receiv\$3) SAME (rake adj (receiv\$3 or combiner\$1) and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1 and (power adj error adj rate)) and OFDM or cdma) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 14:04
S59	5	(S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND (select\$3 and insert\$3 and chip\$1 and data)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:57
S60	5	(S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND (select\$3 and insert\$3 and chip\$1)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:58
S61	5	(S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND (insert\$3 and chip\$1)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:58
S62	5	(S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND insert\$3) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:59

EAST Search History

S63	31	((S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary))) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 13:59
S69	27300	((transmi\$4 and receiv\$3) WITH (rake adj (receiv\$3 AND combiner\$1) WITH (frequency adj domain adj equaliz\$5)) and select\$4 adj (device or circuit or mean\$2 or switch\$1 and signal adj quality and sharing\$ S25 decid\$3 and (carrier adj to adj interference adj power adj ratio) and (power adj error adj rate)) and OFDM or cdma) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 14:20
S93	5487	((((375/299.ccls.)(375/295.ccls.)(375/267.ccls.)(375/316.ccls.)(375/347.ccls.))).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/01 14:48
S94	344	((375/299.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/01 14:50
S95	1584	((375/295.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/01 14:49
S97	100	S94 and ofdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/02/01 14:58
S10 6	17	S94 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/02/01 14:59

EAST Search History

S11 4	2	((transmi\$4 and receiv\$3) and (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5) or fde) and OFDM and cdma)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 15:32
S11 6	56	((transmi\$4 and receiv\$3) and (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5) or fde) and (OFDM or cdma) and diversity and noise and power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/01 15:36
S12 2	26	((transmi\$4 and receiv\$3) and (frequency adj domain adj equaliz\$5 and OFDM and rake adj receiv\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 08:35
S12 3	15	((transmi\$4 and receiv\$3) and (frequency adj domain adj equaliz\$5 and rake adj receiv\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 08:45
S12 4	15	((transmi\$4 and receiv\$3 or transceiv\$3) and (frequency adj domain adj equaliz\$5 and rake adj receiv\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 09:05
S12 6	17	((ofdm and cdma) SAME (frequency adj domain adj equaliz\$5 and OFDM))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 08:47
S12 7	39	"6188717"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 08:57
S12 8	1124	(375/148.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 08:59

EAST Search History

S13 1	5762	(375/295.ccls.) or (375/148.ccls.) or (375/150.ccls.) or (375/346.ccls.) or (375/144.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 09:04
S13 5	634	(S131 and (rake adj receiv\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 09:11
S13 6	436	(S135 and (multipath and noise)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 09:11
S13 7	406	(S136 and (multicarrier or cdma or ofdm)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 09:12
S13 9	73	(S136 and (equaliz\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 10:34
S14 9	39	(S139 and (decision and select\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:46
S15 0	26	(S139 and (multiplex\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 10:25
S15 1	15	(S136 and (frequency with equaliz\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 10:40

EAST Search History

S15 2	15	(S149 and S150) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 10:43
S15 3	9	(S149 and S150 and rake with combin\$3) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 11:22
S15 5	15	(S149 and S150 and rake with (receiv\$3 or combin\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 11:26
S15 6	15	(S149 and S150 and (rake with (receiv\$3 or combin\$3))) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 11:27
S15 7	15	(S149 and S150 and (rake with (receiv\$3 or combin\$3) and cdma)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:34
S16 3	15	(S149 and S150 and (rake adj (receiv\$3 or combin\$3) and cdma and multipath)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:36
S16 4	5	(S149 and S150 and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3 and cdma)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:39
S16 5	5	(S149 and S150 and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:40

EAST Search History

S16 6	11	(S149 and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:43
S17 0	353	((((375/349.ccls.) or (375/136.ccls.) or (375/144.ccls.) or (370/147.ccls.) or (375/206.ccls.)) and (decision and select\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:51
S17 1	8	((((375/349.ccls.) or (375/136.ccls.) or (375/144.ccls.) or (370/147.ccls.) or (375/206.ccls.)) and (decision and select\$3) and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 14:53
S17 2	123	((((375/349.ccls.) or (375/136.ccls.) or (375/144.ccls.) or (370/147.ccls.) or (375/206.ccls.)) and (decision and select\$3) and (rake adj (receiv\$3 or combin\$3) or frequency with equaliz\$3)) @ad<"20030218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/12 15:21